



## Pharmacy Medical Policy Immunomodulators for Skin Conditions

### Table of Contents

- [Related Policies](#)
- [Policy](#)
- [Policy History](#)
- [Prior Authorization Information](#)
- [Provider Documentation](#)
- [Forms](#)
- [Summary](#)
- [Individual Consideration](#)
- [References](#)

### Policy Number: 010

BCBSA Reference Number: N/A

### Related Policies

- Quality Care Dosing guidelines may apply and can be found in Medical Policy #[621B](#)
- Retail Pharmacy Prior Authorization Policy – Rinvoq #[049](#)
- Medical Utilization Management (MED UM) & Pharmacy Prior Authorization Policy - Dupixent #[033](#)

### Prior Authorization Information

Policy	<input checked="" type="checkbox"/> Prior Authorization <input checked="" type="checkbox"/> Step Therapy <input checked="" type="checkbox"/> Quantity Limit <input type="checkbox"/> Administrative	Reviewing Department	<b>Pharmacy Operations:</b> Tel: 1-800-366-7778 Fax: 1-800-583-6289
		Policy Effective Date	<b>3/2025</b>
Pharmacy (Rx) or Medical (MED) benefit coverage	<input checked="" type="checkbox"/> Rx <input type="checkbox"/> MED	<b>To request for coverage:</b> Providers may call, fax, or mail the attached form ( <a href="#">Formulary Exception/Prior Authorization form</a> ) to the address below.	
<b>Policy applies to</b> Commercial Members: <ul style="list-style-type: none"> <li>Managed Care (HMO and POS),</li> <li>PPO and Indemnity</li> <li>MEDEX with Rx plan</li> <li>Managed Major Medical with Custom BCBSMA Formulary</li> <li>Comprehensive Managed Major Medical with Custom BCBSMA Formulary</li> <li>Managed Blue for Seniors with Custom BCBSMA Formulary</li> </ul> <b>Policy does NOT apply to:</b> <ul style="list-style-type: none"> <li>Medicare Advantage</li> </ul>		<b>Blue Cross Blue Shield of Massachusetts Pharmacy Operations Department</b> 25 Technology Place Hingham, MA 02043 Tel: 1-800-366-7778 Fax: 1-800-583-6289  <b>Individual Consideration for the atypical patient:</b> Policy for requests that do not meet clinical criteria of this policy, see section labeled <a href="#">Individual Consideration</a>	

### Summary

This is a comprehensive policy covering step therapy, prior authorization and quantity limit requirements for medications used to treat skin conditions.

This policy applies to members utilizing the below medications for the treatment of skin conditions (i.e. atopic dermatitis). Coverage of medications listed below that are FDA approved for other indications can be found in the [related Medical Policies](#) listed above.

## Policy

### Step Therapy Requirements

<b>Length of Approval</b>	12 months
<b>Formulary Status</b>	All requests must meet the Step Therapy requirement and for non-covered medications, the member <b>must</b> also have had a previous treatment failure with, or contraindication to, <b>at least two</b> covered formulary alternatives when available. See section on <a href="#">individual consideration</a> for more information if you require an exception to any of these criteria requirements for an atypical patient
<b>Member cost share consideration</b>	A higher non-preferred cost share may be applied if an exception request is approved for coverage of a non-preferred or a non-formulary/non-covered drug.

### Step Therapy for Calcineurin Inhibitors, PD4 inhibitors, and JAK inhibitors

Drug	Formulary Status (BCBSMA Commercial Plan)	Step Requirement
Step 1		
Topical corticosteroids	Covered	Covered with no requirements
Step 2		
Eucrisa <sup>®</sup> (crisaborole)	ST, QCD	Requires prior use of ONE step 1 medication OR history of prior use of any step 2 medication in this table within the previous 130 days. See below for prior use criteria.
Opzelura <sup>™</sup> (ruxolitinib)	ST, QCD	
Pimecrolimus Topical	ST, QCD	
Tacrolimus Topical	ST	
Step 3		
Elidel <sup>®</sup> (pimecrolimus)	ST	Requires prior use of TWO step 2 medications OR history of prior use of a step 3 medication in this table within the previous 130 days. See below for prior use criteria.
Protopic <sup>®</sup> (tacrolimus)	ST	
Zoryve Cream <sup>®</sup> (roflumilast)	NF, ST	

Drug	Formulary Status (BCBSMA Commercial Plan)	Step Requirement
Zoryve Foam <sup>®</sup> (roflumilast)	NF, ST	Requires prior use of TWO of any of the following formulary alternatives: topical corticosteroids (e.g. desonide lotion, betamethasone lotion), topical calcineurin inhibitors (e.g. tacrolimus ointment, pimecrolimus cream), topical antifungals (e.g. ketconazole cream, ciclopirox cream)

## Step Therapy for Aryl Hydrocarbon Receptor Agonists

Drug	Formulary Status (BCBSMA Commercial Plan)	Step Requirement
Step 1		
Topical corticosteroids	Covered	Covered with no requirements
calcipotriene	Covered, QCD	
calcipotriene - betamethasone	Covered, QCD	
calcipotriene - clobetasol	Covered, QCD	
Step 2		
Vtama ™ (tapinarof)	ST	Requires prior use of TWO step 1 medications OR history of prior use of any step 2 medication in this table within the previous 130 days. See below for prior use criteria.

**QCD - Quality Care Dosing (quantity limits [policy #621B](#)); ST – Step Therapy**

## Biologic Agents for Skin Conditions Table

1. Documented FDA labeled diagnosis, **AND**
2. Meet the step therapy requirements described below.

Drug	Formulary Status (BCBSMA Commercial Plan)	Step Requirement
<b>Step 1 – with Prior Authorization requirements</b>		
Dupixent <sup>®</sup> (dupilumab)	PA	PA Required – See <a href="#">Related Policy #033</a> for coverage criteria
Ebglyss <sup>TM</sup> (lebrikizumab)	PA, QCD	PA Required – See <a href="#">Related Policy #033</a> for coverage criteria
Rinvoq <sup>®</sup> (upadacitinib)	PA, QCD	PA Required - <a href="#">see below</a>
<b>Step 2 - Non-Formulary, Non-Covered Drugs</b>		
Adbry <sup>TM</sup> (tralokinumab)	NFNC	Trial of two (2) of the formulary medications above prior to the use of a NFNC medication and confirm diagnosis is within FDA label
Cibinqo <sup>TM</sup> (abrocitinib)	NFNC	

**QCD - Quality Care Dosing (quantity limits [policy #621B](#)); ST – Step Therapy; PA – Prior Authorization; NFNC – Non-formulary Non-covered**

### Prior Use Criteria

The plan uses prescription claim records to support criteria for prior use within previous 130 days or the trial and failure of formulary alternatives when available. Additional documentation will be required from the provider when historic prescription claim data is either not available or the medication fill history fails to establish criteria for prior use or trial and failure of formulary alternatives. Documentation will also be required to support any clinical reasons preventing the trial and failure of formulary alternatives. Please see the section on documentation requirements for more information.

### [Prior Authorization Requirements](#)

<b>Length of Approval</b>	12 months
---------------------------	-----------

<b>Formulary Status</b>	All requests must meet the PA requirement and for non-covered medications, the member <b>must</b> also have had a previous treatment failure with, or contraindication to, <b>at least two</b> covered formulary alternatives when available. See section on <a href="#">individual consideration</a> for more information if you require an exception to any of these criteria requirements for an atypical patient.
<b>Member cost share consideration</b>	A higher non-preferred cost share may be applied if an exception request is approved for coverage of a non-preferred or a non-formulary/non-covered drug

In addition to the step therapy requirements, the following drugs must also meet the prior authorization criteria prior to coverage:

Drug	Formulary Status (BCBSMA Commercial Plan)	Requirement
Dupixent <sup>®</sup> (dupilumab)	PA	PA Required – See <a href="#">Related Policy #033</a> for coverage criteria
Rinvoq <sup>®</sup> (upadacitinib)	PA, QCD	PA Required

**QCD - Quality Care Dosing (quantity limits [policy #621B](#)); PA – Prior Authorization**

## Rinvoq<sup>®</sup>

Rinvoq (upadacitinib) may be covered when **ALL** of the following criteria are met:

### Moderate to Severe Atopic Dermatitis

1. The patient has moderate-to-severe atopic dermatitis (eczema), **AND**
2. The patient is 12 years of age or older, **AND**
3. An inadequate response to at least ONE other systemic immunosuppressant (e.g., Methotrexate, Cyclosporine, Mycophenolate, Azathioprine, etc.), or when other systemic drugs are contraindicated **OR** the patient has claim history of ONE (1) of pimecrolimus or tacrolimus topical within the previous 90 days or previous treatment,

**AND**

4. The patient demonstrated treatment failure with a 14-day trial of a prescription topical corticosteroid in claims history or previous treatment, **AND**
5. The drug is prescribed by a board-certified or board-eligible Allergist or Dermatologist, **AND**
6. Documented Dose and Frequency must be submitted and must be within the FDA approved Dosing and Frequency.

## Dupixent<sup>®</sup>

See [Related Policy #033](#) for all covered indications and corresponding coverage criteria.

## Provider Documentation Requirements

Documentation from the provider to support a reason preventing trial of formulary alternative(s) must include the name and strength of alternatives tried and failed (if alternatives were tried, including dates if available) and specifics regarding the treatment failure. Documentation to support clinical basis preventing switch to formulary alternative should also provide specifics around clinical reason.

## Individual Consideration (For Atypical Patients)

Our medical policies are written for most people with a given condition. Each policy is based on peer reviewed clinical evidence. We also take into consideration the needs of atypical patient populations and diagnoses.

If the coverage criteria outlined is unlikely to be clinically effective for the prescribed purpose, the health care provider may request an exception to cover the requested medication based on an individual's unique clinical circumstances. This is also referred to as "individual consideration" or an "exception request."

Some reasons why you may need us to make an exception include: therapeutic contraindications; history of adverse effects; expected to be ineffective or likely to cause harm (physical, mental, or adverse reaction).

To facilitate a thorough and prompt review of an exception request, we encourage the provider to include additional supporting clinical documentation with their request. This may include:

- Clinical notes or supporting clinical statements;
- The name and strength of formulary alternatives tried and failed (if alternatives were tried) and specifics regarding the treatment failure, if applicable;
- Clinical literature from reputable peer reviewed journals;
- References from nationally recognized and approved drug compendia such as American Hospital Formulary Service® Drug Information (AHFS-DI), Lexi-Drug, Clinical Pharmacology, Micromedex or Drugdex®; and
- References from consensus documents and/or nationally sanctioned guidelines.

Providers may call, fax or mail relevant clinical information, including clinical references for individual patient consideration, to:

Blue Cross Blue Shield of Massachusetts  
Pharmacy Operations Department  
25 Technology Place  
Hingham, MA 02043  
Phone: 1-800-366-7778  
Fax: 1-800-583-6289

***We may also use prescription claims records to establish prior use of formulary alternatives or to show if step therapy criteria has been met. We will require the provider to share additional information when prescription claims data is either not available or the medication fill history fails to establish use of preferred formulary medications or that step therapy criteria has been met.***

## Policy History

Date	Action
6/2025	Clarified step table for Adbry™ and Cibinqo™ ; Added separate pre-requisites for Zoryve Foam due to different indication
2/2025	Added note Ebglyss is in Policy 033.
12/2024	Updated to add Prescriber requirement to Rinvoq for Atopic Dermatitis
10/2024	Added Zoryve foam & Cream as Step 3 in the policy and moved Eucrisa to Step 2 in the respective table.
8/2024	Updated to Remove corticosteroid trial for Rinvoq.
7/2024	Updated Rinvoq criteria to add trial of topical corticosteroid and topical calcineurin inhibitor.
11/2023	Reformatted policy.
9/2023	Reformatted policy. Updated IC section to align with 118E MGL § 51A.

7/2023	Updated to make Systemic table to a two-step and added clarifying language for Rinvoq®.
8/2022	Updated to add New Table for Topical psoriasis and add Vtama to the policy.
5/2022	Updated to include PA criteria for Rinvoq®.
4/2022	Updated to consolidate the Biologicals for Atopic Dermatitis into this policy and updated Opzelura™ to step 2 of the policy
1/2022	Updated to add Opzelura™ to step 3 of the policy.
4/2020	Updated to remove age edits
1/2019	Updated Cortico-steroid trial time to 2 weeks & Add Generic Elidel® to step 2.
11/2018	Moved Dupixent® to policy 033.
11/2017	Updated to include Dupixent® as step 3 to the policy.
6/2017	Updated address for Pharmacy Operations.
1/2014	Updated ExpressPath language and remove Blue Value.
11/2011-4/2012	Medical policy ICD 10 remediation: Formatting, editing and coding updates. No changes to policy statements.
11/2011	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
5/2011	Reviewed - Medical Policy Group - Pediatrics and Endocrinology. No changes to policy statements.
12/2010	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
5/2010	Reviewed - Medical Policy Group - Pediatrics and Endocrinology. No changes to policy statements.
12/2009	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
5/2009	Reviewed - Medical Policy Group - Pediatrics and Endocrinology. No changes to policy statements.
12/2008	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
5/2008	Reviewed - Medical Policy Group - Pediatrics and Endocrinology. No changes to policy statements.
12/2007	Reviewed - Medical Policy Group - Plastic Surgery and Dermatology. No changes to policy statements.
5/2007	Reviewed - Medical Policy Group - Pediatrics and Endocrinology. No changes to policy statements.
8/2002	New policy, effective 8/2002, describing covered and non-covered indications.

## Forms

To request prior authorization using the Massachusetts Standard Form for Medication Prior Authorization Requests (eForm), click the link below:

<https://www.bluecrossma.org/medical-policies/sites/g/files/csphws2091/files/acquiadam-assets/023%20E%20Form%20medication%20prior%20auth%20instruction%20prn.pdf>

OR

Print and fax, Massachusetts Standard Form for Medication Prior Authorization Requests [#434](#)

## Endnotes and References

1. Based on the recommendation of the BCBSMA Pharmacy and Therapeutics Committee, 2/2002 and updated on P&T recommendations 12/2002.
2. Based on the recommendation of the BCBSMA Pharmacy and Therapeutics Committee and FDA approved indications updated on 5/2005.