



# MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an independent licensee of the Blue Cross and Blue Shield Association

## Medical Policy Prolotherapy

### Table of Contents

- [Policy: Commercial](#)
- [Description](#)
- [Information Pertaining to All Policies](#)
- [Authorization Information](#)
- [Policy History](#)
- [Coding Information](#)
- [References](#)

### Policy Number: 183

BCBSA Reference Number: 2.01.26 (For Plans internal use only)

### Related Policies

Diagnosis and Treatment of Sacroiliac Joint Pain, #[320](#)

### Policy

#### Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity

Prolotherapy is considered [INVESTIGATIONAL](#) as a treatment of musculoskeletal pain.

#### Prior Authorization Information

##### Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

##### Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
<b>Commercial Managed Care (HMO and POS)</b>	This is <b>not</b> a covered service.
<b>Commercial PPO and Indemnity</b>	This is <b>not</b> a covered service.

### CPT Codes / HCPCS Codes / ICD Codes

*Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.*

*Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.*

*The following codes are included below for informational purposes only; this is not an all-inclusive list.*

The following CPT code is considered investigational for **Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:**

### HCPCS Codes

HCPCS codes:	Code Description
M0076	Prolotherapy

### Description

The goal of prolotherapy is to promote tissue repair or growth by prompting the release of growth factors, such as cytokines, or by increasing the effectiveness of existing circulating growth factors. The mechanism of action is not well understood but may involve local irritation and/or cell lysis. Agents used with prolotherapy have included zinc sulfate, psyllium seed oil, combinations of dextrose, glycerin, and phenol, or dextrose alone, often combined with a local anesthetic. Polidocanol, sodium morrhuate, and vascular sclerosants have also been used to sclerose areas of high intratendinous blood flow associated with tendinopathies. Prolotherapy typically involves multiple injections per session conducted over a series of treatment sessions.

A similar approach involves the injection of autologous platelet-rich plasma, which contains a high concentration of platelet-derived growth factors.

### Summary

Prolotherapy describes a procedure intended for healing and strengthening ligaments and tendons by injecting an agent that induces inflammation and stimulates endogenous repair mechanisms. Prolotherapy may also be referred to as proliferant injection, prolo, joint sclerotherapy, regenerative injection therapy, growth factor stimulation injection, or nonsurgical tendon, ligament, and joint reconstruction.

For individuals who have musculoskeletal pain (eg, chronic neck, back pain), osteoarthritic pain, or tendinopathies of the upper or lower limbs who receive prolotherapy, the evidence includes small, randomized trials with inconsistent results. Relevant outcomes are symptoms, functional outcomes, and quality of life. The strongest evidence evaluates the use of prolotherapy for the treatment of osteoarthritis, but the clinical significance of the therapeutic results is uncertain. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

### Policy History

Date	Action
1/2022	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
1/2021	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
1/2021	Medicare information removed. See MP #132 Medicare Advantage Management for local coverage determination and national coverage determination reference.
12/2019	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
1/2018	New references added from Annual policy review.
11/2015	New references added from Annual policy review. Added coding language.
12/2013	New references from Annual policy review.
11/2011-4/2012	Medical policy ICD 10 remediation: Formatting, editing and coding updates. No changes to policy statements.
6/2011	Reviewed - Medical Policy Group – Orthopedics, Rehabilitation and Rheumatology. No changes to policy statements.
7/2010	Reviewed - Medical Policy Group – Orthopedics, Rehabilitation Medicine and Rheumatology. No changes to policy statements.

5/1/2010	Medical Policy 183 effective 5/1/2010 describing ongoing non-coverage
4/2010	Annual policy review. No changes to policy statements.
9/2008	Annual policy review. No changes to policy statements.
8/2007	Annual policy review. No changes to policy statements.

## Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

[Medical Technology Assessment Guidelines](#)

## References

1. Dagenais S, Yelland MJ, Del Mar C, et al. Prolotherapy injections for chronic low-back pain. *Cochrane Database Syst Rev.* Apr 18 2007; (2): CD004059. PMID 17443537
2. Dagenais S, Mayer J, Haldeman S, et al. Evidence-informed management of chronic low back pain with prolotherapy. *Spine J.* Jan-Feb 2008; 8(1): 203-12. PMID 18164468
3. Chou R, Atlas SJ, Stanos SP, et al. Nonsurgical interventional therapies for low back pain: a review of the evidence for an American Pain Society clinical practice guideline. *Spine (Phila Pa 1976).* May 01 2009; 34(10): 1078-93. PMID 19363456
4. Yelland MJ, Glasziou PP, Bogduk N, et al. Prolotherapy injections, saline injections, and exercises for chronic low-back pain: a randomized trial. *Spine (Phila Pa 1976).* Jan 01 2004; 29(1): 9-16; discussion 16. PMID 14699269
5. Klein RG, Eek BC, DeLong WB, et al. A randomized double-blind trial of dextrose-glycerine-phenol injections for chronic, low back pain. *J Spinal Disord.* Feb 1993; 6(1): 23-33. PMID 8439713
6. Ongley MJ, Klein RG, Dorman TA, et al. A new approach to the treatment of chronic low back pain. *Lancet.* Jul 18 1987; 2(8551): 143-6. PMID 2439856
7. Kim WM, Lee HG, Jeong CW, et al. A randomized controlled trial of intra-articular prolotherapy versus steroid injection for sacroiliac joint pain. *J Altern Complement Med.* Dec 2010; 16(12): 1285-90. PMID 21138388
8. Reeves KD, Hassanein KM. Long-term effects of dextrose prolotherapy for anterior cruciate ligament laxity. *Altern Ther Health Med.* May-Jun 2003; 9(3): 58-62. PMID 12776476
9. Wee TC, Neo EJ, Tan YL. Dextrose prolotherapy in knee osteoarthritis: A systematic review and meta-analysis. *J Clin Orthop Trauma.* Aug 2021; 19: 108-117. PMID 34046305
10. Sert AT, Sen EI, Esmailzadeh S, et al. The Effects of Dextrose Prolotherapy in Symptomatic Knee Osteoarthritis: A Randomized Controlled Study. *J Altern Complement Med.* May 2020; 26(5): 409-417. PMID 32223554
11. Rabago D, Patterson JJ, Mundt M, et al. Dextrose prolotherapy for knee osteoarthritis: a randomized controlled trial. *Ann Fam Med.* May-Jun 2013; 11(3): 229-37. PMID 23690322
12. Reeves KD, Hassanein K. Randomized prospective double-blind placebo-controlled study of dextrose prolotherapy for knee osteoarthritis with or without ACL laxity. *Altern Ther Health Med.* Mar 2000; 6(2): 68-74, 77-80. PMID 10710805
13. Jahangiri A, Moghaddam FR, Najafi S. Hypertonic dextrose versus corticosteroid local injection for the treatment of osteoarthritis in the first carpometacarpal joint: a double-blind randomized clinical trial. *J Orthop Sci.* Sep 2014; 19(5): 737-43. PMID 25158896
14. Rabago D, Mundt M, Zgierska A, et al. Hypertonic dextrose injection (prolotherapy) for knee osteoarthritis: Long term outcomes. *Complement Ther Med.* Jun 2015; 23(3): 388-95. PMID 26051574
15. Reeves KD, Hassanein K. Randomized, prospective, placebo-controlled double-blind study of dextrose prolotherapy for osteoarthritic thumb and finger (DIP, PIP, and trapeziometacarpal) joints: evidence of clinical efficacy. *J Altern Complement Med.* Aug 2000; 6(4): 311-20. PMID 10976977
16. Goh SL, Jaafar Z, Gan YN, et al. Efficacy of prolotherapy in comparison to other therapies for chronic soft tissue injuries: A systematic review and network meta-analysis. *PLoS One.* 2021; 16(5): e0252204. PMID 34038486

17. Chung MW, Hsu CY, Chung WK, et al. Effects of dextrose prolotherapy on tendinopathy, fasciopathy, and ligament injuries, fact or myth?: A systematic review and meta-analysis. *Medicine (Baltimore)*. Nov 13 2020; 99(46): e23201. PMID 33181700
18. Rabago D, Best TM, Zgierska AE, et al. A systematic review of four injection therapies for lateral epicondylitis: prolotherapy, polidocanol, whole blood and platelet-rich plasma. *Br J Sports Med*. Jul 2009; 43(7): 471-81. PMID 19028733
19. Scarpone M, Rabago DP, Zgierska A, et al. The efficacy of prolotherapy for lateral epicondylitis: a pilot study. *Clin J Sport Med*. May 2008; 18(3): 248-54. PMID 18469566
20. Akcay S, Gurel Kandemir N, Kaya T, et al. Dextrose Prolotherapy Versus Normal Saline Injection for the Treatment of Lateral Epicondylopathy: A Randomized Controlled Trial. *J Altern Complement Med*. Dec 2020; 26(12): 1159-1168. PMID 32990454
21. Apaydin H, Bazancir Z, Altay Z. Injection Therapy in Patients with Lateral Epicondylalgia: Hyaluronic Acid or Dextrose Prolotherapy? A Single-Blind, Randomized Clinical Trial. *J Altern Complement Med*. Dec 2020; 26(12): 1169-1175. PMID 32931308
22. Bayat M, Raeissadat SA, Mortazavian Babaki M, et al. Is Dextrose Prolotherapy Superior To Corticosteroid Injection In Patients With Chronic Lateral Epicondylitis?: A Randomized Clinical Trial. *Orthop Res Rev*. 2019; 11: 167-175. PMID 31819675
23. Carayannopoulos A, Borg-Stein J, Sokolof J, et al. Prolotherapy versus corticosteroid injections for the treatment of lateral epicondylitis: a randomized controlled trial. *PM R*. Aug 2011; 3(8): 706-15. PMID 21871414
24. Yelland MJ, Sweeting KR, Lyftogt JA, et al. Prolotherapy injections and eccentric loading exercises for painful Achilles tendinosis: a randomised trial. *Br J Sports Med*. Apr 2011; 45(5): 421-8. PMID 19549615
25. Kazempour Mofrad M, Rezasoltani Z, Dadarkhah A, et al. Periarticular Neurofascial Dextrose Prolotherapy Versus Physiotherapy for the Treatment of Chronic Rotator Cuff Tendinopathy: Randomized Clinical Trial. *J Clin Rheumatol*. Jun 01 2021; 27(4): 136-142. PMID 32975923
26. Bertrand H, Reeves KD, Bennett CJ, et al. Dextrose Prolotherapy Versus Control Injections in Painful Rotator Cuff Tendinopathy. *Arch Phys Med Rehabil*. Jan 2016; 97(1): 17-25. PMID 26301385
27. American Association of Orthopedic Medicine, Klein RG, Patterson J, et al. Prolotherapy for Back Pain Treatment. n.d.; <http://www.aaomed.org/prolotherapy-back-pain>. Accessed September 11, 2021.
28. Kolasinski SL, Neogi T, Hochberg MC, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. *Arthritis Rheumatol*. Feb 2020; 72(2): 220-233. PMID 31908163
29. Centers for Medicare and Medicaid Services. National Coverage Determination (NCD) for PROLOTHERAPY, Joint Sclerotherapy, and Ligamentous Injections with Sclerosing Agents (150.7). 1999; <https://www.cms.gov/medicare-coverage-database/details/ncd->