



MASSACHUSETTS

Blue Cross Blue Shield of Massachusetts is an Independent Licensee of the Blue Cross and Blue Shield Association

Medical Policy Cooling Devices Used in the Outpatient Setting

Table of Contents

- [Policy: Commercial](#)
- [Policy: Medicare](#)
- [Authorization Information](#)
- [Coding Information](#)
- [Description](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [References](#)

Policy Number: 510

BCBSA Reference Number: 1.01.26 (For Plan internal use only)

Related Policies

Continuous Passive Motion in the Home Setting, #407

Policy

Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity

Active and passive cooling devices are **NOT MEDICALLY NECESSARY**.

Combination active cooling and compression (cryopneumatic) devices are **INVESTIGATIONAL**.

Prior Authorization Information

Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
Commercial Managed Care (HMO and POS)	This is not a covered service.
Commercial PPO and Indemnity	This is not a covered service.

CPT Codes / HCPCS Codes / ICD Codes

Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

The following codes are included below for informational purposes only; this is not an all-inclusive list.

CPT Codes

There is no specific CPT code for this service.

HCPCS Codes

HCPCS codes:	Code Description
E0218	Water circulating cold pad with pump
E0236	Pump for water circulating pad

Description

Cold and Compression Therapy

Use of ice packs and various bandages and wraps following surgery or musculoskeletal and soft tissue injury is common. A variety of manually operated and mechanical continuous cooling devices are commercially available.

The standard postoperative treatment for musculoskeletal surgeries consists of cryotherapy (cold therapy) and various types of compressive wraps. Both ice packs (with or without additives to maintain temperature) and cooling devices can provide cryotherapy. Circulating cooling devices are designed to provide a constant low temperature, which might provide additional benefit compared with the more variable temperature achieved with the intermittent replacement of ice packs. Noncirculating cooling devices might also allow less variable cooling due to the larger volume of ice stored in the insulated tank and the use of circulated ice water.

Noncirculating Cooling Devices

The CryoCuff® and Polar Care Cub devices are examples of passive, noncirculating cooling devices. The CryoCuff device consists of an insulated container filled with iced water that is attached to a compressive cuff. When the CryoCuff container is raised, the water fills and pressurizes the cuff. The amount of pressure is proportional to the height of the container. When body heat warms the water, the cooler is lowered and water drained. The cooler is then raised above the affected limb, and cold water refills the compressive cuff. The Polar Care Cub unit consists of pads held in place with elastic straps, which may also provide compression. The pads are attached to a built-in hand pump that circulates the water through the pads at the same time as increasing the compression around the joint.

Circulating Cooling Devices

In active, circulating cooling devices, a motorized pump circulates chilled water and may also provide pneumatic compression. For example, the AutoChill® device, which may be used with a CryoCuff, consists of a pump that automatically exchanges water from the cuff to the cooler, eliminating the need for manual water recycling. The Hot/Ice Thermal Blanket is another circulating cooling device. It consists of 2 rubber pads connected by a rubber hose to the main cooling unit. Fluid is circulated via the hose through the thermal blankets. The temperature of the fluid is controlled by the main unit and can be either hot or cold. The Game Ready™ Accelerated Recovery System is a circulating cooling device combined with a pneumatic component. The system consists of various soft wraps and a computer-control unit to circulate the water through the wraps and to provide intermittent pneumatic compression. The Hilotherm® Clinic circulates cooled water through preshaped thermoplastic polyurethane facial masks for use after different types of facial surgery. ThermaZone® provides thermal therapy with pads specific to various joints as well as different areas of the head (front, sides, back, eyes). CTM™ 5000 and cTreatment are computer-controlled devices that provide cooling at a specific (11°C) and continuous temperature.

Summary

Cooling devices use chilled water to decrease the local temperature of tissue. There are a variety of cooling devices available, ranging from gravity-fed devices that manually fill with iced water, to motorized units that both cool and circulate chilled water. These devices are typically used when ice packs would normally be applied (eg, after orthopedic surgical procedures).

For individuals who have pain and/or swelling after knee surgery who receive a cooling device, the evidence includes several randomized controlled trials (RCTs) and a case-control study. Relevant outcomes are symptoms, functional outcomes, medication use, and resource utilization. Evidence on manually operated passive noncirculating cooling devices is limited by the control condition used in the trials. Studies on manually operated passive noncirculating cooling devices were limited by the control condition used in the trials. Studies that used either a no-icing control or infrequent ice applications did not provide sufficient evidence of comparative efficacy. Other studies provided no information on the frequency of ice changes, limiting interpretation of the results. Several randomized trials have compared active circulating cooling devices with standard intermittent icing or cold packs, and 2 of the larger trials found no significant benefit of the continuous cooling devices. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have pain and/or swelling after shoulder surgery who receive a cooling device, the evidence includes 2 RCTs. Relevant outcomes include symptoms, functional outcomes, medication use, and resource utilization. Evidence found that use of compressive cryotherapy produced no significant reduction in pain or medication use compared with the standard ice wrap. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have pain and/or swelling after facial surgery who receive a cooling device, the evidence includes several small RCTs and a pilot study. Relevant outcomes include symptoms, functional outcomes, medication use, and resource utilization. There have been mixed results regarding the intervention's efficacy in reducing neurologic problems as well as improving eye motility, diplopia, mandible functioning, and mouth opening compared with conventional cooling regimens. The evidence is insufficient to determine the effects of the technology on health outcomes.

Policy History

Date	Action
4/2022	Annual policy review. Policy statements unchanged.
4/2021	Annual policy review. Policy statements unchanged.
1/2021	Medicare information removed. See MP #132 Medicare Advantage Management for local coverage determination and national coverage determination reference.
5/2020	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
4/2019	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
4/2018	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
11/2017	Annual policy review. New references added.
11/2016	Annual policy review. New references added.
7/2014	Annual policy review. New references added.
10/2013	Annual policy review. Investigational indications clarified. Effective 10/1/2013.
8/2013	Annual policy review. New investigational indications described. Effective 8/1/2013.
11/2011-4/2012	Medical policy ICD 10 remediation: Formatting, editing and coding updates. No changes to policy statements.
6/2011	Reviewed - Medical Policy Group - Orthopedics, Rehabilitation Medicine, and Rheumatology. No changes to policy statements.
5/2011	New policy, effective 5/2011, describing ongoing non-coverage.

Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

[Medical Technology Assessment Guidelines](#)

References

1. Schroder D, Passler HH. Combination of cold and compression after knee surgery. A prospective randomized study. *Knee Surg Sports Traumatol Arthrosc.* Jan 1994;2(3):158-165. PMID 7584198
2. Whitelaw GP, DeMuth KA, Demos HA, et al. The use of the Cryo/Cuff versus ice and elastic wrap in the postoperative care of knee arthroscopy patients. *Am J Knee Surg.* Winter 1995;8(1):28-30; discussion 30-21. PMID 7866800
3. Healy WL, Seidman J, Pfeifer BA, et al. Cold compressive dressing after total knee arthroplasty. *Clin Orthop Relat Res.* Feb 1994(299):143-146. PMID 7907012
4. Thienpont E. Does advanced cryotherapy reduce pain and narcotic consumption after knee arthroplasty? *Clin Orthop Relat Res.* Nov 2014;472(11):3417-3423. PMID 25059851
5. Woolf SK, Barfield WR, Merrill KD, et al. Comparison of a continuous temperature-controlled cryotherapy device to a simple icing regimen following outpatient knee arthroscopy. *J Knee Surg.* Jan 2008;21(1):15-19. PMID 18300666
6. Ruffilli A, Buda R, Castagnini F, et al. Temperature-controlled continuous cold flow device versus traditional icing regimen following anterior cruciate ligament reconstruction: a prospective randomized comparative trial. *Arch Orthop Trauma Surg.* Oct 2015;135(10):1405-1410. PMID 26141535
7. Ruffilli A, Castagnini F, Traina F, et al. Temperature-controlled continuous cold flow device after total knee arthroplasty: a randomized controlled trial study. *J Knee Surg.* Sep 2017;30(7):675-681. PMID 27903009
8. Su EP, Perna M, Boettner F, et al. A prospective, multi-center, randomised trial to evaluate the efficacy of a cryopneumatic device on total knee arthroplasty recovery. *J Bone Joint Surg Br.* Nov 2012;94(11 Suppl A):153- 156. PMID 23118406
9. Waterman B, Walker JJ, Swaims C, et al. The efficacy of combined cryotherapy and compression compared with cryotherapy alone following anterior cruciate ligament reconstruction. *J Knee Surg.* May 2012;25(2):155-160. PMID 22928433
10. Murgier J, Cailliez J, Wargny M, et al. Cryotherapy with dynamic intermittent compression improves recovery from revision total knee arthroplasty. *J Arthroplasty.* Sep 2017;32(9):2788-2791. PMID 28465126
11. Kraeutler MJ, Reynolds KA, Long C, et al. Compressive cryotherapy versus ice-a prospective, randomized study on postoperative pain in patients undergoing arthroscopic rotator cuff repair or subacromial decompression. *J Shoulder Elbow Surg.* Jun 2015;24(6):854-859. PMID 25825138
12. Noyes MP, Denard PJ. Continuous Cryotherapy vs Ice Following Total Shoulder Arthroplasty: A Randomized Control Trial. *Am J Orthop (Belle Mead NJ).* 2018 Jun;47(6). doi: 10.12788/ajo.2018.0045. PubMed PMID: 29979799.
13. Rana M, Gellrich NC, von See C, et al. 3D evaluation of postoperative swelling in treatment of bilateral mandibular fractures using 2 different cooling therapy methods: a randomized observer blind prospective study. *J Craniomaxillofac Surg.* Jan 2013;41(1):e17-23. PMID 22626630
14. Rana M, Gellrich NC, Ghassemi A, et al. Three-dimensional evaluation of postoperative swelling after third molar surgery using 2 different cooling therapy methods: a randomized observer-blind prospective study. *J Oral Maxillofac Surg.* Aug 2011;69(8):2092-2098. PMID 21496998
15. Rana M, Gellrich NC, Joos U, et al. 3D evaluation of postoperative swelling using two different cooling methods following orthognathic surgery: a randomised observer blind prospective pilot study. *Int J Oral Maxillofac Surg.* Jul 2011;40(7):690-696. PMID 21411291
16. Modabber A, Rana M, Ghassemi A, et al. Three-dimensional evaluation of postoperative swelling in treatment of zygomatic bone fractures using two different cooling therapy methods: a randomized, observer-blind, prospective study. *Trials.* Jul 29 2013;14:238. PMID 23895539
17. Weber KL, Jevsevar DS, McGrory BJ. AAOS Clinical Practice Guideline: Surgical Management of Osteoarthritis of the Knee: Evidence-based Guideline. *J Am Acad Orthop Surg.* 2016 Aug;24(8). PMID 27355287