



Medical Policy

Eyelid Thermal Pulsation for the Treatment of Dry Eye Syndrome

Table of Contents

- [Policy: Commercial](#)
- [Policy: Medicare](#)
- [Authorization Information](#)
- [Coding Information](#)
- [Description](#)
- [Policy History](#)
- [Information Pertaining to All Policies](#)
- [References](#)

Policy Number: 613

BCBSA Reference Number: 9.03.29 (For Plan internal use only)

Related Policies

None

Policy

Commercial Members: Managed Care (HMO and POS), PPO, and Indemnity

Eyelid thermal pulsation therapy to treat dry eye syndrome is **INVESTIGATIONAL**.

regarding your specific jurisdiction.

Prior Authorization Information

Inpatient

- For services described in this policy, precertification/preauthorization **IS REQUIRED** for all products if the procedure is performed **inpatient**.

Outpatient

- For services described in this policy, see below for products where prior authorization **might be required** if the procedure is performed **outpatient**.

	Outpatient
Commercial Managed Care (HMO and POS)	This is not a covered service.
Commercial PPO and Indemnity	This is not a covered service.

CPT Codes / HCPCS Codes / ICD Codes

Inclusion or exclusion of a code does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage as it applies to an individual member.

Providers should report all services using the most up-to-date industry-standard procedure, revenue, and diagnosis codes, including modifiers where applicable.

The following CPT codes are considered investigational for **Commercial Members: Managed Care (HMO and POS), PPO, Indemnity, Medicare HMO Blue and Medicare PPO Blue:**

CPT Codes

CPT codes:	Code Description
0207T	Evacuation of meibomian glands, automated, using heat and intermittent pressure, unilateral
0330T	Tear film imaging, unilateral or bilateral, with interpretation and report
0507T	Near-infrared dual imaging (ie, simultaneous reflective and trans-illuminated light) of meibomian glands, unilateral or bilateral, with interpretation and report

Description

Dry Eye Syndrome

Dry eye syndrome, dry eye disease, or dysfunctional tear syndrome, either alone or in combination with other conditions, is a frequent cause of ocular irritation that leads patients to seek ophthalmologic care. Dry eye syndrome is considered a significant public health problem. It is estimated to affect between 14% and 33% of the population worldwide.^{1,2} The prevalence of dry eye syndrome increases with age, especially in postmenopausal women. It is estimated that dry eye syndrome affects more than 7 million Americans older than 40 years of age,¹ and approximately 1 to 4.3 million Americans between 65 and 84 years of age.³ Prevention and treatment of dry eye syndrome are expected to be of greater importance as the population ages.

Treatment

Current treatment options for Meibomian gland dysfunction include physical expression to relieve the obstruction, administration of heat (warm compresses) to the eyelids to liquefy solidified meibomian gland contents, eyelid scrubs to relieve external meibomian gland orifice blockage, and medications (eg, antibiotics, topical corticosteroids) to mitigate infection and inflammation of the eyelids.^{4,5} These treatment options, however, have shown limited clinical efficacy. For example, physical expression can be very painful given the amount of force needed to express obstructed glands. Warm compress therapy can be time-consuming and labor intensive, and there is limited evidence that medications relieve meibomian gland dysfunction.⁵ While the symptoms of dry eye syndrome often improve with treatment, the disease usually is not curable and may lead to substantial patient and physician frustration. Dry eyes can be a cause of visual morbidity and may compromise results of corneal, cataract, and refractive surgery. Inadequate treatment of dry eye syndrome may result in increased ocular discomfort, blurred vision, reduced quality of life, and decreased productivity.

Summary

Thermal pulsation is a treatment option for meibomian gland dysfunction. Meibomian gland dysfunction is recognized as the major cause of dry eye syndrome. Thermal pulsation applies heat to the palpebral surfaces of the upper and lower eyelids directly over the meibomian glands, while simultaneously applying graded pulsatile pressure to the outer eyelid surfaces, thereby expressing the meibomian glands.

For individuals who have dry eye symptoms consistent with meibomian gland dysfunction who receive eyelid thermal pulsation, the evidence includes 4 randomized controlled trials (RCTs), a nonrandomized comparison study, and longer term follow-up of patients from RCTs and observational studies. Relevant outcomes are symptoms, morbid events, and functional outcomes. The trials do not provide strong evidence of long-term efficacy. Two RCTs have demonstrated positive findings for most outcome measures over the short term (up to 3 months). Observational studies have shown sustained treatment effects for most outcomes up to 3 years. The nonrandomized study showed similar outcomes for eyelid thermal pulsation and standard treatment. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

Policy History

Date	Action
4/2022	Annual policy review. Policy statements unchanged.
4/2021	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
1/2021	Medicare information removed. See MP #132 Medicare Advantage Management for local coverage determination and national coverage determination reference.
5/2020	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
4/2019	Annual policy review. Description, summary, and references updated. Policy statements unchanged.
7/2018	Clarified coding information.
4/2017	Annual policy review. New references added.
4/2016	Annual policy review. New references added.
5/2015	Annual policy review. New references added. Clarified coding information.
5/2014	Annual policy review. New references added.
8/2013	Annual policy review. New policy describing investigational indications. Effective 8/1/2013.

Information Pertaining to All Blue Cross Blue Shield Medical Policies

Click on any of the following terms to access the relevant information:

[Medical Policy Terms of Use](#)

[Managed Care Guidelines](#)

[Indemnity/PPO Guidelines](#)

[Clinical Exception Process](#)

[Medical Technology Assessment Guidelines](#)

References

1. Stapleton F, Alves M, Bunya VY, et al. TFOS DEWS II Epidemiology Report. *Ocul Surf.* Jul 2017; 15(3): 334-365. PMID 28736337
2. Farrand KF, Fridman M, Stillman IO, et al. Prevalence of Diagnosed Dry Eye Disease in the United States Among Adults Aged 18 Years and Older. *Am J Ophthalmol.* Oct 2017; 182: 90-98. PMID 28705660
3. Blepharitis. American Academy of Ophthalmology Cornea/External Disease Panel. Preferred Practice Pattern Guidelines. San Francisco, CA: American Academy of Ophthalmology; 2018.
4. Nichols KK, Foulks GN, Bron AJ, et al. The international workshop on meibomian gland dysfunction: executive summary. *Invest Ophthalmol Vis Sci.* Mar 30 2011; 52(4): 1922-9. PMID 21450913
5. Blackie CA, Korb DR, Knop E, et al. Nonobvious obstructive meibomian gland dysfunction. *Cornea.* Dec 2010; 29(12): 1333-45. PMID 20847669
6. Dry Eye Syndrome. American Academy of Ophthalmology Cornea/External Disease Panel. Preferred Practice Pattern Guidelines. San Francisco, CA: American Academy of Ophthalmology; 2018.
7. Food and Drug Administration. 510(k) Premarket Notification. <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpmn/pmn.cfm>
8. Lane SS, DuBiner HB, Epstein RJ, et al. A new system, the LipiFlow, for the treatment of meibomian gland dysfunction. *Cornea.* Apr 2012; 31(4): 396-404. PMID 22222996
9. Finis D, Hayajneh J, Konig C, et al. Evaluation of an automated thermodynamic treatment (LipiFlow(R)) system for meibomian gland dysfunction: a prospective, randomized, observer-masked trial. *Ocul Surf.* Apr 2014; 12(2): 146-54. PMID 24725326
10. Blackie CA, Coleman CA, Holland EJ. The sustained effect (12 months) of a single-dose vectored thermal pulsation procedure for meibomian gland dysfunction and evaporative dry eye. *Clin Ophthalmol.* 2016; 10: 1385-96. PMID 27555745

11. Tauber J. A 6-Week, Prospective, Randomized, Single-Masked Study of Lifitegrast Ophthalmic Solution 5% Versus Thermal Pulsation Procedure for Treatment of Inflammatory Meibomian Gland Dysfunction. *Cornea*. Apr 2020; 39(4): 403-407. PMID 31895884
12. Zhao Y, Veerappan A, Yeo S, et al. Clinical Trial of Thermal Pulsation (LipiFlow) in Meibomian Gland Dysfunction With Pretreatment Meibography. *Eye Contact Lens*. Nov 2016; 42(6): 339-346. PMID 26825281
13. Greiner JV. Long-term (12-month) improvement in meibomian gland function and reduced dry eye symptoms with a single thermal pulsation treatment. *Clin Exp Ophthalmol*. Aug 2013; 41(6): 524-30. PMID 23145471
14. Finis D, Konig C, Hayajneh J, et al. Six-month effects of a thermodynamic treatment for MGD and implications of meibomian gland atrophy. *Cornea*. Dec 2014; 33(12): 1265-70. PMID 25321941
15. Greiner JV. Long-Term (3 Year) Effects of a Single Thermal Pulsation System Treatment on Meibomian Gland Function and Dry Eye Symptoms. *Eye Contact Lens*. Mar 2016; 42(2): 99-107. PMID 26222095
16. Hura AS, Epitropoulos AT, Czyz CN, et al. Visible Meibomian Gland Structure Increases After Vectored Thermal Pulsation Treatment in Dry Eye Disease Patients with Meibomian Gland Dysfunction. *Clin Ophthalmol*. 2020; 14: 4287-4296. PMID 33324034
17. Miller KL, Walt JG, Mink DR, et al. Minimal clinically important difference for the ocular surface disease index. *Arch Ophthalmol*. Jan 2010; 128(1): 94-101. PMID 20065224
18. Ngo W, Situ P, Keir N, et al. Psychometric properties and validation of the Standard Patient Evaluation of Eye Dryness questionnaire. *Cornea*. Sep 2013; 32(9): 1204-10. PMID 23846405